

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S30	8	((("4364060") or ("5140429") or ("5798773") or ("6318839")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 14:45
S31	2	"20030095163"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 16:41
S32	4046	(347/86,19).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:42
S33	5632	(347/5,7,19,23,86).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 16:44
S34	6	S33 and (psuedo-sens\$5 psuedo-detect\$5 psuedosens\$5 ((psuedo dummy substitut\$5 adapter adaptor emulat\$5) adj (sens\$5 detect\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:22
S35	9551	(399/8-37).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 17:22
S36	8	S33 and (psuedo-sens\$5 psuedo-signal\$3 psuedosignal\$3 psuedo-detect\$5 psuedosens\$5 ((psuedo dummy substitut\$5 adapter adaptor emulat\$5) adj (sens\$5 detect\$5 signal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:32
S37	10	S35 and (psuedo-sens\$5 psuedo-signal\$3 psuedosignal\$3 psuedo-detect\$5 psuedosens\$5 ((psuedo dummy substitut\$5 adapter adaptor emulat\$5) adj (sens\$5 detect\$5 signal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:26
S38	93263	"73"/\$3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 17:32

S39	97	S38 and (psuedo-sens\$5 psuedo-signal\$3 psuedo-signal\$3 psuedo-detect\$5 psuedo-sens\$5 ((psuedo dummy substitut\$5 adapter adaptor emulat\$5) adj (sens\$5 detect\$5 signal)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:23
S40	2	"20020191064"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/13 18:33
S41	2	("6471351").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/13 18:41
S42	6	((("5702191") or ("6126345") or ("6155728")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:14
S43	3	("6213580").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/14 10:14

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	1431	(399/12,27).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 10:52
L4	418	3 and (sensor detector) same (cartridge container reservoir head print-head printhead (print adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:53
L5	6449	(347/7,14,17,19,86,87).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/03 10:53
L6	1934	L5 and (sensor detector) with (cartridge container reservoir head print-head printhead (print adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:53
L7	397	4 not L6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:54
L8	2715	347/7,19.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:54
L9	40	8 and (drop with count\$3 with controller)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:57
L10	59	347/7.ccls. and (sens\$3 with ink with accura\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:58
L11	5	347/7.ccls. and (sens\$3 with ink with accura\$4 with count\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 13:58

S1	6445	(347/7,14,17,19,86,87).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/01 16:25
S2	2315	S1 and (sensor detector) same (cartridge container reservoir head print-head printhead (print adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:52
S3	1934	S1 and (sensor detector) with (cartridge container reservoir head print-head printhead (print adj head))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/03 10:52
S4	399	cartridge same (substitute dummy psuedo\$ adapter emulator) same (sens\$5 detect\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:20
S5	1	(fake adj sensor)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:21
S6	0	(fake adj detector)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:22
S7	31150	(bypass same (sens\$3 detect\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:23
S8	8543	(bypass with (sensor detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:23
S9	335	(simulates near (Sensor detector))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/01 17:23
S11	4	347/5-19.ccls. and @pd>"20050801"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 09:59

S12	1144	(330/263-266).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/02 09:59
S13	465	S12 and diode	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/02 10:38